
DELUXE HIGH WALL MINI SPLIT OWNER'S MANUAL

SPLIT TYPE ROOM AIR CONDITIONER

- Please read carefully and thoroughly this manual before operating this unit.
- Contact a qualified service technician for installation, repair and maintenance of this unit.
- The appliance is not intended for use by young children or infirm persons without supervision.
- Young children should be supervised to ensure that they do not play with the appliance.



臣

Safety Precautions

	Safety precaut	ions
Safety Precautions Warning2 Caution3	To prevent injury to the user or other people and property damage, the following instructions must be followed. ■ Incorrect operation due to ignoring of instruction will cause harm or damage, the seriousness is classified by the following indications.	
Operating Instructions	ວ 🗥 WARNING ວ—	
Preparation before operation4	This symbol indicates the possi	bility of death or serious injury.
Remote Control Features5 Operation Mode Selection7		
Additional features	This symbol indicates the possibility of injury or damage to properties only.	
Care and Maintenance	Installation	precautions
Care and Maintenance16	→ MA	RNING ,
Operation Tips	for the installation work. Ple improper installation is not o • Unit must be installed in an additional cost required to h	use water leakage, electrical lt authorized dealer or specialist ase note fault caused by covered by warranty. easily accessible area. Any
l		
Plug in the power plug properly.	Do not operate or stop the unit by inserting or pulling out the power plug.	Do not damage or use an unspecified power cord.
• Otherwise, it will cause	It will cause electrical shock	• It will cause electrical shock or fire.
electrical shock or fire due to heat generation.	or fire due to heat generation.	 If the supply cord is damaged, it must be replaced by the manufacturer or its service agent or a similarly qualified person in order to avoid a hazard.
Do not modify power cord length or share the outlet with other appliances.	Do not operate with wet hand.	Do not insert anything into the air inlet/air outlet.
 It will cause electrical shock or fire due to heat generation. 	 It may cause electrical shock. 	 Since the fan rotates at high speed, this may cause an injury or damage the unit.
Do not expose the skin directly to cool air for long periods of time.	When an abnormality (smell of burning, etc) occurs, stop the air conditioner, and disconnect the power plug or turn off the breaker.	Repair or relocation should not be done by the customer.
This could damage your health.	 If the unit continues to be operated in an abnormal condition, it may cause a fire, damage, etc. In this case, consult your dealer. 	 If this is done incorrectly, it may cause a fire, electric shock, injury by dropping of the unit, water leakage, etc. Consult your dealer.

2

CAUTION · Contact the authorized Service technician for repair or maintenance of this unit. Contact the installer for installation of this unit. • The air conditioner is not intended for use by young children or infirm persons without supervision. . Young children should be supervised to ensure that they do not play with the air conditioner. When the air filter is to be Do not clean the air Ventilate well when used together with a stove, etc. removed, do not touch the conditioner with water. metal parts of the indoor unit. It may cause an injury. Water may enter the unit and An oxygen shortage may degrade the insulation. It may occur. Should be disconnected from cause an electric shock. supply When the unit is to be Do not put a pet or house Do not leave on installation cleaned, switch off, and turn plant where it will be stand which is damaged. off the circuit breaker. exposed to direct air flow. • The unit may drop or fall Since the fan rotates at high • This could injure the pet or down and cause an injury. speed during operation, it plant. may cause an injury. Do not put a stove, etc. Do not apply an insecticide Do not step on the where is exposed to direct or flammable spray. indoor/outdoor unit and do air flow. not put anything on it. It may cause a fire or · It may affect combustion. • It may cause an injury deformation of the cabinet. through dropping or falling down. Do not insert hands through When the unit is not going to Do not step onto an unstable vanes when the air conditioner be used for a long time, turn bench when cleaning and/or maintaining the unit. off the circuit breaker. is operationg · It will cause an injury by the If not, dirt may collect and • It may cause an injury, etc. rotating blower. cause a fire. by falling down. Do not use for special Do not operate for a long time in purposes. high humidity, e.g. leaving a door or window open. · Do not use this air conditioner . In the cooling mode, if it is to preserve precision devices. operated in a room with high

food, animal, plants, and art

It may cause deterioration of

obiects.

quality, etc.

3

humidity (80%RH or more) for

a long time, water condensed

in the air conditioner may drop

and may wet and spoil furniture. etc.

Preparation before operation

How to Insert the Batteries


- Remove the battery cover by pulling it according to the 1 arrow direction.
- Insert new batteries making sure that the (+) and (-) of 2 battery are installed correctly.
- Reattach the cover by sliding it back into position. 3

NOTES:


• Use 2 AAA(1.5volt) batteries. Do not use rechargeable batteries.

Storage and Tips For Using the Remote Control

. The remote control may be stored mounted on a wall.



. To operate the room air conditioner, aim the remote control at the signal receptor.



Signal Receptor

Receives the signals from the remote control.(Signal receiving sound: two short beeps or one long beep.)


Operation Indication Lamps

0	On/Off	: Lights up during the system operation.	
	Timer or Sleep Mode	: Lights up during Timer operation or Sleep mode	
8	Defrost Mode	: Lights up during Defrost Mode or Hot Start operation (Heat pump model only)	
OUT DOOR	Outdoor unit operation	: Lights up during outdoor unit operation. (Cooling model only)	
PLASMA	Plasma Mode	: Lights up during plasma-purification operation. (option)	Signal
—	Auto Restart Mode	: Lights up during if Restart Button is pressed.	Operation indication lamps
	Auto Restart Button	: In failure of electric power, if the button is pressed the unit runs as previous setting operation when power returns.	
	Forced Operation Button	: Operation starts, when this button is pressed and stops when you press the button again.	


Safety Precautions

About the remote control on the system

The remote control transmits the signals to the system.




How to use the Operation Mode Selection button




Natural wind by the CHAOS logic

G For more fresh feeling than other fan speed, press the Indoor Fan Speed Selector and set to CHAOS mode. In this mode, the wind blows like natural breeze by automatically changing fan speed according to the CHAOS logic.



During Auto Operation:

- □ You cannot switch the indoor fan speed. It has already been set by the Fuzzy rule.
- □ If the system is not operating as desired, manually switch to another mode. The system will not automatically switch from the cooling mode to the heating mode, or from heating mode to cooling mode, it must be done by manually resetting.
- During Auto Operation, pressing the chaos swing button makes the horizontal louvers swing up and down automatically. If you want to stop auto-swing, press the chaos swing button again.




During Healthy Dehumidification Operation:

If you select the dehumidification mode on the operation selection button, the A/C starts to run the dehumidification function. It automatically sets the room temp. and airflow volume to the best condition for dehumidification, based on the sensed current room temp.

In this case, however, the setting temp. is not displayed in the remote control and you are not able to control the room temp, either,


8

During the healthy dehumidification function, the airflow volume is automatically set according to the optimization algorithm responding to the current room temp. status which makes the room condition healthy and comfortable even in the high humidity season.



Natural wind by the CHAOS logic

□ For more fresh feeling than other fan speed, press the Indoor Fan Speed Selector and set to CHAOS mode. In this mode, the wind blows like natural breeze by automatically changing fan speed according to the CHAOS logic.



NOTE:


- During the JET COOL function at any moment, the A/C starts to blow the cool air at extremely high speed for 30 minutes setting the room temp. automatically to 18°C. It is especially used to cool the room temp. in the shortest time in a hot summer.
- In heat pump mode or neuro fuzzy mode, however, the JET COOL function is not available.
- □ In order to return to the normal cooling mode from the JET COOL mode, you just press either the operation mode selection button, airflow volume selection or temp. setting button or the JET COOL button again.

10

Troubleshooting Tips [7] Care and Maintenance [7]

Ð

ENGLISH




PLASMA Air Purifying Operation only If you press PLASMA air

PLASMA PLASMA If you press the only PLASMA button, only PLASMA air purifying operates.

Then, fan speed is low. You can select the fan speed in four steps-low, medium, high or CHAOS.

Each time the button () is pressed, the fan speed mode is shifted.



Additional features



Sleep Mode

Press the Sleep Mode Auto button to set the To cancel the Sleep Mode, press the sleep Mode Auto button several times until the star time you want the unit to turn off automatically. (>>>) disappears from the operation display. The Timer is programmed in one-hour increments by pressing the Sleep Mode Auto Note: The Sleep Mode will be operated at button 1 to 7 times. slow fan speed (cooling) or medium fan The sleep mode is available for 1 to 7 times. To speed (heat pump only) for quiet sleeping. alter the time period in steps of 1 hour, press the Sleep Mode Button while aiming at air IN COOLING MODE OR HEALTHY DEHUMIDIFICATION MODE: conditioner. The temperature will automatically rise by 1°C Make sure the Sleep Mode Auto LED lights up. over the next 30 minutes and by 2°C in 1 hour for comfortable sleeping. Setting the Time Time can be set only when you have pressed Press the Time Setting buttons until the the Reset button. If you have just replaced the desired time is set. batteries, the Reset button should be pressed to reset the time. Press the Start/Stop button. Press the Timer SET button. Press 2nd F button 2nd Note: Check the indicator and check if 2nd F icon is on. for A.M. and P.M. Delay Start/Pre-Set Stop To set the selected time, Make sure the time is set correctly on the remote control display. press the Timer SET button while aiming the remote control at the signal Press 2nd F button. receptor. Press the ON/OFF Timer To cancel the timer setting buttons to turn Timer on or off. Check if 2nd F icon is off. Press the Timer Cancel button while Press the Time Setting aiming remote control at the signal buttons until the desired receptor. time is set. (The timer lamp on the air conditioner and the display will go out.) **NOTE:** Select one of the following four types of operation. with the unit running ON OFF a.m. 3:30 a.m. 3:00 OFF ON ^{am} 12 00 6:00

ON OFF 3:00 am 3:30

Delay OFF Timer

Delay ON Timer

13

Delay OFF and ON Timer Delay ON and OFF Timer



Vertical Airflow Direction Control

The up/down airflow (Vertical Airflow) can be adjusted by using the remote control.





んし

Press the Start/Stop button to start the unit.

Open the door on the remote control. Press Chaos Swing button and the louvers will swing up and down. Press the Chaos Swing button again to set the vertical louver at the desired airflow direction.



Note:

- If you press the CHAOS swing button, the horizontal airflow direction is changed automatically based on the CHAOS algorithm to distribute the air in the room evenly and at the same time to make the human body feel most comfortable, as if enjoying a natural breeze.
- Always use the remote control to adjust the up/down airflow direction. Manually moving the vertical airflow direction louver by hand could damage the air conditioner.
- □ When the unit is shut off, the up/down airflow direction louver will close the air outlet vent of the system.

To adjust left/right(Horizontal Airflow) direction

Caution: Ensure unit is turned off before adjusting the horizontal airflow direction control. Carefully open vertical louver to allow access to the horizontal airflow direction.



Adjust the left/right airflow direction by hand.




Troubleshooting Tips 🤸

Operating Instructions

Horizontal Airflow Direction Control (Option)

The left/right(Horizontal Airflow) can be adjusted by using the remote control Press the Start/Stop button to start the unit.

Open the door on the remote control. Press the Airflow Direction Start/Stop button and the louvers will swing left and right. Press the Horizontal Airflow Direction Control Button again to set the horizontal louver at the desired airflow direction.



Air Circulation Mode


Circulates the room air without cooling or heating.



Press the Start/Stop button. the unit will respond with a beep.



Open the door on the remote control. Press the Air Circulation button. Close the door on the remote control. Now each time that you press the Indoor Fan Speed Selector, the fan speed is shifted from low to CHAOS and back to low again.



Note:


- CHAOS Air economizes power consumption and prevents overcooling. The fan speed is automatically changed from high to low or vice versa, depending on the ambient temperature.
 - 14

The Button Operation

FORCED OPERATION

The operation will be started if the power button is pressed.

If you want to stop operation, re-press the button.




	Cooling Model	Heat pump Model		
		Room Temp. \geq 24°C	21°C ≤ Room Temp. < 24°C	Room Temp. < 21°C
Operating mode	Cooling	Cooling	Healthy Dehumidification	Heating
Indoor FAN Speed	High	High	Healthy Dehumidification Rule	High
Setting Temperature	22°C	22°C	23°C	24°C

Auto restart

In case the power comes on again after a power failure, Auto Restarting Operation is the function to operate procedures automatically to the previous operating conditions.

If you want to use this operation, press the Auto Restart Button.




Helpful information

Fan speed and cooling capacity.

The cooling capacity indicated in the specification is the value when the fan speed is set to high, and the capacity will be lower at low or medium fan speed.

High fan speed is recommended when you wish to cool the room quickly.



Care and maintenance of the air conditioner

CAUTION: Before performing any maintenance, turn off the main power to the system.


Indoor Unit

Grille, Case, and Remote Control

Turn the system off before cleaning. To clean, wipe with a soft, dry cloth. Do not use bleach or abrasives.


NOTE:

Supply power must be disconnected before cleaning the indoor unit.




AIR FILTER

The air filters behind the front grille should be checked and cleaned once every 2 weeks or more often if neccessary.



PLASMA FILTER, DEODORIZER FILTER(OPTION)

The PLASMA filter behind the air filters should be checked and cleaned once every 3 months or more often if necessary.




cause an electric shock.

- Never use any of the followings:
 - Water hotter than 40°C Could cause deformation and/or discoloration.
 - Volatile substances Could damage the surfaces of the air conditioner.



- Lift the front access panel and pull the filter tab slightly forward to remove the filter.
- Clean the filter with a vacuum or warm, soapy 2 water.
 - · If dirt is conspicuous, wash with a solution of detergent in lukewarm water.
 - If hot water (40°C or more) is used, it may be deformed.
 - After washing with water, dry well in the shade.
 - Re-install the air filter.



Dip the PLASMA filter into the water mixed 2 with neutral detergent, for 20~30 minutes.

Dry the PLASMA filter in the shade for a day 3 (Especially, the humidity must be removed perfectly on this parts).

Note the cuts of electric discharge lines.

Re-install the PLASMA filter to the original 6 position.

- After removing the air filters, pull slightly forward to remove the DEODORIZER filter.
- Dry in the sunlight for two hours.

Re-install the DEODORIZER filter to the original position.

16

1


2

Replacement of Purifying Filter(Option)

· Recomended use period : About 2 years




Open front panel and remove air filters.





A Reinsert air filters and close front panel.




Outdoor Unit


The heat exchanger coils and panel vents of the outdoor unit should be checked regularly. If clogged with dirt or soot, the heat exchanger and panel vents may be professionally steam cleaned.


NOTE:

Dirty or clogged coils will reduce the operating efficiency of the system and cause higher operating costs.



Remove air purifying filters.





1

When the air conditioner is not going to be used for a long time.


When air conditioner is not going to be used for a long time.

- Operate the air conditioner on Air circulation mode (Refer to page 14) for 2 to 3 hours.
 - This will dry out the internal mechanisms.
- **2** Turn off the circuit breaker, and disconnect the plug.



Turn off the circuit breaker when the air conditioner is not going to be used for a long time. Dirt may collect and may cause a fire.

3 Remove the batteries from the remote control.



Operation Tips

Do not overcool the room. This is not good for the health and wastes electricity.	Keep blinds or curtains closed. Do not let direct sunshine enter the room when the air conditioner is in operation.	Keep the room temperature uniform. Adjust the vertical and horizontal airflow direction to ensure a uniform temperature in the room.
Make sure that the doors and windows are shut tight. Avoid opening doors and windows as much as possible to keep the cool air in the room.	Clean the air filter regularly. Blockages in the air filter reduce the airflow and lower cooling and dehumidifying effects. Clean at least once every two weeks.	Ventilate the room occasionally. Since windows are kept closed, it is a good idea to open them and ventilate the room now and then.





Troubleshooting Tips! Save time and money!

Check the following points before requesting repairs or service.... If the fault persists, please contact your dealer or service center.

Case	Explanation	See page
The air conditioner does not operate.	 Have you made a mistake in timer operation? Has the fuse blown or has the circuit breaker been tripped? 	13 -
The room has a peculiar odor.	 Check that this is not a damp smell exuded by the walls, carpet, furniture, or cloth items in the room. 	-
It seems that condensation is leaking from the air conditioner.	Condensation occurs when the airflow from the air conditioner cools the warm room air.	-
Air conditioner does not operate for about 3 minutes when restarted.	This is the protector of the mechanism.Wait about three minutes and operation will begin.	-
Does not cool or heat effectively.	 Is the air filter dirty? See air filter cleaning instructions. 	16
	Has the temperature been set incorrectly? Are the indoor unit's air inlet or outlet vents obstructed?	7, 10
The air conditioner operation is noisy.	 For a noise that sounds like water flowing. This is the sound of freon flowing inside the air conditioner unit. For a noise that sounds like the compressed air releasing into atmosphere. This is the sound of the dehumidifying water being processed inside the air conditioning unit. 	-
Remote control display is faint, or no display at all.	 Are the batteries depleted? Are the batteries inserted in the opposite (+) and (-) directions? 	4
Crack sound is heard.	• This sound is generated by the expansion/constriction of the front panel, etc. due to changes of temperature.	-